

# SBC4907FRTRIPLE



53.38" x 23.63" x 24.88" (H x W x D)

Commercially approved freestanding beer dispenser with black cabinet, triple tap system, and stainless steel door frame for custom panels

### Highlights:

Commercially approved for use in food service establishments

Complete tap kit includes everything you need to pour the perfect draft

Designed to hold three Cornelius kegs or two 1/6 kegs

### Product Features:

Commercially approved	ETL-S Listed to NSF-18
Fully finished black cabinet	Allows the unit to be used freestanding
KIT 490 included	Complete tap system with 5 lb. CO2 tank and regulator, draft arm, Sankey American tap, connection hardware, and cleaning kit
Triple tap system	Three taps allow you to serve three different brews from Cornelius kegs or two different makes from 1/6 sized kegs
Stainless steel door frame	Slide a panel into this two-piece exposed stainless steel door frame to match the unit to other cabinetry (panel size: 31" H x 23 3/8" W)
Professional handle	Stainless steel handle for durable elegance
Automatic defrost	Reduced user maintenance with auto defrost operation



Casters included (ship unassembled)

To make the unit portable, install this sturdy set of casters to the base of the unit

---

## SBC4907FRTRIPLE Specifications:

Overview	
Height of Cabinet	53.38" (136 cm)
Width	23.63" (60 cm)
Depth	24.88" (63 cm)
Depth with Handle	26.5" (67 cm)
Depth with door at 90°	47.0" (119 cm)
Capacity	6.4 cu.ft. (181 L)
Defrost Type	Automatic
Door	Panel-Ready
Cabinet	Black
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Sanitation	ETL-S
Amps	1.7
Voltage/Frequency	115 V AC/60 Hz
Shipping Weight	152.0 lbs. (69 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101015736

Kegeerator	
Door Swing	RHD
Reversible	No
Shelf Type	Wire
Shelf Qty	2
Thermostat Type	Dial
Refrigerant	R134a
Refrigerant Amount	2.1 oz.
High Side PSI	280.0
Low Side PSI	88.0
Inter Height	29.0" (74 cm)
Interior Width	21.25" (54 cm)
Interior Depth	18.75" (48 cm)
Wheel Qty	4

