

# SCFU1375



74.8" x 23.6" x 24.8" (H x W x D)

DISCONTINUED: For a similar unit, see the SCFU1510

### Highlights:

Commercially listed for use in foodservice establishments

Self-closing door is ideal for busy commercial settings

Factory installed lock provides security you can count on

### Product Features:

Commercially approved	ETL-S listed to NSF standards for commercial use
Frost-free operation	No-frost convenience requires no manual defrosting
Factory installed lock	Top-mounted for convenient security
Glass door	Provides a full display of stored contents
Digital thermostat	Electronic controls for precise temperature management, with temperature readout and controls externally located for added convenience
Self-closing door	Ideal for busy commercial settings, where customers don't always have the chance to ensure the door is closed
Internal fan	Fan-forced cooling ensures the unit is evenly cooled from top to bottom



## SCFU1375 Specifications:

Overview	
Height of Cabinet	74.8" (190 cm)
Width	23.6" (60 cm)
Depth	24.8" (63 cm)
Capacity	11.2 cu.ft. (317 L)
Defrost Type	Frost-Free
Door	Glass
Cabinet	White
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Sanitation	ETL-S
Amps	1.4
Voltage/Frequency	115 V AC/60 Hz
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101003238
Freezer	
Door Swing	RHD
Reversible	No
Shelf Type	Wire
Shelf Qty	7
Adjustable Shelves	Yes
Thermostat Type	Digital
Interior Light	Yes
Fan Type	Interior
Refrigerant Type	R404a
High Side PSI	350.0
Low Side PSI	116.0
Wheels	4



