

# SCFU1510



84.5" x 27.38" x 26" (H x W x D)

Large capacity upright glass door freezer for commercial use, with digital thermostat and frost-free operation

## Highlights:

ETL-S listed for commercial use

Self-closing door prevents accidents from exposing contents to room temperature

True frost-free operation saves on maintenance by preventing icy buildup

## Product Features:

Commercially listed	ETL-S listed to NSF standards for commercial use
Frost-free operation	No-frost convenience requires no manual defrosting
Digital thermostat	Electronic controls for precise temperature management, with temperature readout and controls externally located for added convenience
Self-closing door	Ideal for busy commercial settings, where customers and staff don't always have the chance to ensure the door is closed
Double pane thermal glass door	Heat-safe design offers full display of interior
Cantilevered shelves	Rearrange freezer space to accommodate a variety of sizes
Light box	Illuminated canopy lets you insert your own decal
Interior light	LED lighting provides full view of stored products
<p><b>SUMMIT APPLIANCE DIVISION, FELIX STORCH, INC.</b>   ISO 9001:2015 Certified          79 Garrison Avenue Bronx, NY 10474 USA TEL 718-893-4900 FAX 844-479-8799 info@summitappliance.com</p>	
Casters	Sturdy casters offer smooth mobility



## SCFU1510 Specifications:

Overview	
Height of Cabinet	84.5" (215 cm)
Width	27.38" (70 cm)
Depth	26.0" (66 cm)
Depth with Handle	27.5" (70 cm)
Depth with door at 90°	52.75" (134 cm)
Capacity	13.0 cu.ft. (368 L)
Defrost Type	Frost-Free
Door	Glass
Cabinet	White
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Sanitation	ETL-S
Amps	10.5
Voltage/Frequency	115 V AC/60 Hz
Weight	242.0 lbs. (110 kg)
Shipping Weight	360.0 lbs. (163 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101023335
Freezer	
Door Swing	RHD
Reversible	No
Shelf Type	Wire
Shelf Qty	4
Adjustable Shelves	Yes
Thermostat Type	Digital
Interior Light	Yes
Fan Type	Interior
Refrigerant Type	R404a
High Side PSI	350.0
Low Side PSI	180.0
Wheels	4
Temperature Range	-4 to 5°F



